

**ELATION® COLOUR CHORUS 12™**  
 DMX Channel Values / Functions Version 1 (15 DMX Channels)  
 Specifications are subject to change without any prior written notice.

\*Control of LED Modules depends on the Pixel Flip setting.

MODE / CHANNEL																			VALUE	FUNCTION
01 3 CH	02 3 CH	03 4 CH	04 4 CH	05 5 CH	06 5 CH	07 6 CH	08 9 CH	09 9 CH	10 10 CH	11 11 CH	12 6 CH	13 6 CH	14 8 CH	15 13 CH	16 15 CH	17 8 CH	18 9 CH	19 13 CH		
																			LED GROUP 1-2*	
																			0-1	GROUP 1
																			2-5	GROUP 2
																			6-115	NO Function
																			116	Between GROUP 1
															1		1		117-120	Between GROUP 2
																			121-207	NO Function
																			208-211	Interval GROUP 1
																			212-213	Interval GROUP 2
																			218-255	NO Function
									1		1				2		2		COLOR SPEED	
																			0-255	Color Speed SLOW TO FAST
									2		2				3		3		COLOR FAN	
																			0-255	Variable Color Fan MIN to MAX
									3		3				4		4		COLOR RANGE	
																			0-255	Adjust Color Spectrum
									4		4				5		5		COLOR STEP	
																			0-254	Step to Fade Color Scroll Control
																			255	Switch to RGB
																			STROBE	
																			0-31	NO Function
																			32-95	Variable Strobe Effect SLOW to FAST
																			96-127	LEDs ON
																			128-159	Pulse Effect In Sequence SLOW to FAST
																			160-191	LEDs ON
																			192-223	Random Strobe Effect SLOW to FAST
																			224-255	LEDs ON
									6		6				7		7		FAN INTENSITY	
																			0-255	Alternating Groups ON / OFF
																			HUE	
																			0-255	0 to 100%
																			SATURATION	
																			0-255	0 to 100%
																			INTENSITY	
																			0-255	0 to 100%
																			RED	
																			0-255	0 to 100%
																			GREEN	
																			0-255	0 to 100%
																			BLUE	
																			0-255	0 to 100%
																			AMBER	
																			0-255	0 to 100%
																			MASTER DIMMER	
																			0-255	Intensity 0 to 100%
																			PROGRAMS	
																			0-19	NO FUNCTION
																			20-39	Program 1
																			40-59	Program 2
																			60-79	Program 3
																			80-99	Program 4
																			100-119	Program 5
																			120-139	Program 6
																			140-159	Program 7
																			160-179	Program 8
																			180-199	Program 9
																			200-219	Program 10
																			220-239	Program 11
																			240-255	Program 12
																			PROGRAM SPEED	
																			0-255	Program Speed SLOW to FAST
																			PROGRAM FADE	
																			0-255	Program Fade SLOW to FAST

ELATION | COLOUR CHORUS 12™ | dmx traits

**ELATION® COLOUR CHORUS 12™**  
 DMX Channel Values / Functions Version 1 (15 DMX Channels)

Specifications are subject to change without any prior written notice.

\*Control of LED Modules depends on the Pixel Flip setting.

MODE / CHANNEL																			VALUE	FUNCTION
01 3 CH	02 3 CH	03 4 CH	04 4 CH	05 5 CH	06 5 CH	07 6 CH	08 9 CH	09 9 CH	10 10 CH	11 11 CH	12 6 CH	13 6 CH	14 8 CH	15 13 CH	16 15 CH	17 8 CH	18 9 CH	19 13 CH		
																				COLOR MACROS
																			1-4	Color Macro 01
																			5-8	Color Macro 02
																			9-12	Color Macro 03
																			13-16	Color Macro 04
																			17-20	Color Macro 05
																			21-24	Color Macro 06
																			25-28	Color Macro 07
																			29-32	Color Macro 08
																			33-36	Color Macro 09
																			37-40	Color Macro 10
																			41-44	Color Macro 11
																			45-48	Color Macro 12
																			49-52	Color Macro 13
																			53-56	Color Macro 14
																			57-60	Color Macro 15
																			61-64	Color Macro 16
																			65-68	Color Macro 17
																			69-72	Color Macro 18
																			73-76	Color Macro 19
																			77-80	Color Macro 20
																			81-84	Color Macro 21
																			85-88	Color Macro 22
																			89-92	Color Macro 23
																			93-96	Color Macro 24
																			97-100	Color Macro 25
																			101-104	Color Macro 26
																			105-108	Color Macro 27
																			109-112	Color Macro 28
																			113-116	Color Macro 29
																			117-120	Color Macro 30
																			121-124	Color Macro 31
								9											125-128	Color Macro 32
									9										129-132	Color Macro 33
																			133-136	Color Macro 34
																			137-140	Color Macro 35
																			141-144	Color Macro 36
																			145-148	Color Macro 37
																			149-152	Color Macro 38
																			153-156	Color Macro 39
																			157-160	Color Macro 40
																			161-164	Color Macro 41
																			165-168	Color Macro 42
																			169-172	Color Macro 43
																			173-176	Color Macro 44
																			177-180	Color Macro 45
																			181-184	Color Macro 46
																			185-188	Color Macro 47
																			189-192	Color Macro 48
																			193-196	Color Macro 49
																			197-200	Color Macro 50
																			201-204	Color Macro 51
																			205-208	Color Macro 52
																			209-212	Color Macro 53
																			213-216	Color Macro 54
																			217-220	Color Macro 55
																			221-224	Color Macro 56
																			225-228	Color Macro 57
																			229-232	Color Macro 58
																			233-236	Color Macro 59
																			237-240	Color Macro 60
																			241-244	Color Macro 61
																			245-248	Color Macro 62
																			249-252	Color Macro 63
																			253-255	Color Macro 64
																				RED - LED GROUP 1*
												1		1					0-255	0 to 100%
																				GREEN - LED GROUP 1*
												2		2					0-255	0 to 100%
																				BLUE - LED GROUP 1*
																			0-255	0 to 100%
																				AMBER - LED GROUP 1*
																			0-255	0 to 100%
																				INTENSITY - LED GROUP 1*
																			0-255	0 to 100%

**ELATION® COLOUR CHORUS 12™**  
**DMX Channel Values / Functions Version 1 (15 DMX Channels)**

Specifications are subject to change without any prior written notice.

\*Control of LED Modules depends on the Pixel Flip setting.

MODE / CHANNEL															VALUE	FUNCTION				
01 3 CH	02 3 CH	03 4 CH	04 4 CH	05 5 CH	06 5 CH	07 6 CH	08 9 CH	09 9 CH	10 10 CH	11 11 CH	12 6 CH	13 6 CH	14 8 CH	15 13 CH	16 15 CH	17 8 CH	18 9 CH	19 13 CH		
											4		4			5	6	6		RED - LED GROUP 2*
																			0-255	0 to 100%
											5		5			6	7	7		GREEN - LED GROUP 2*
																			0-255	0 to 100%
											6		6			7	8	8		BLUE - LED GROUP 2*
																			0-255	0 to 100%
																8				AMBER - LED GROUP 2*
																			0-255	0 to 100%
																	9	9		INTENSITY - LED GROUP 2*
																			0-255	0 to 100%
																				PROGRAMS
																			0-19	NO FUNCTION
																			20-39	Program 1
																			40-59	Program 2
																			60-79	Program 3
																			80-99	Program 4
																			100-119	Program 5
																			120-139	Program 6
																			140-159	Program 7
																			160-179	Program 8
																			180-199	Program 9
																			200-219	Program 10
																			220-239	Program 11
																			240-255	Program 12
																				PROGRAM SPEED
																			0-255	Program Speed SLOW to FAST
											1		8	8						HUE - LED GROUP 1*
																			0-255	0 to 100%
												2		9	9					SATURATION - LED GROUP 1*
																			0-255	0 to 100%
												3		10	10					INTENSITY - LED GROUP 1*
																			0-255	0 to 100%
												4		11	11					HUE - LED GROUP 2*
																			0-255	0 to 100%
												5		12	12					SATURATION - LED GROUP 2*
																			0-255	0 to 100%
												6		13	13					INTENSITY - LED GROUP 2*
																			0-255	0 to 100%
													7		14					MASTER DIMMER
																			0-255	Intensity 0 to 100%
																				DIMMING CURVE MODES
																			0-20	STANDARD
																			21-40	STAGE
			4		5				10	11			8		15				41-60	TV
																			61-80	ARCHITECTURAL
																			81-100	THEATRE
																			101-255	Default to Unit Setting

**Elation Professional USA** | 6122 S. Eastern Ave. | Los Angeles, CA. 90040  
 323-582-3322 | 323-832-9142 fax | [www.elationlighting.com](http://www.elationlighting.com) | [info@elationlighting.com](mailto:info@elationlighting.com)  
**Elation Professional B.V.** | Junostraat 2 | 6468 EW Kerkrade, Netherlands  
 +31 45 546 85 66 | +31 45 546 85 96 fax | [www.elationlighting.eu](http://www.elationlighting.eu) | [info@elationlighting.eu](mailto:info@elationlighting.eu)